

#### Glitter – The Ideal Trace Evidence?

Richard Kam, Linda Xiao, Xanthe Spindler, Philip Maynard, Claude Roux Centre for Forensic Science, University of Technology, Sydney, Australia



Ribaux O., Baylon A., Lock E., Delémont, O., Roux C.,., Zingg C., Margot P. Intelligence-led crime scene processing. Intelligence and crime scene. Forensic Science International 199 (2010) 63–716.

## Introduction

- Glitter is a man-made piece of aluminium foil or plastic that is cut up into tiny individual pieces.
- Cut into shapes such as hexagon, square or rectangle. Some special shapes can also be cut.
- Around for many years but was not used frequently.
- However, in today's society it can be found in a large range of products.
- Recently, it has been involved in criminal cases and has been used as evidence.

# Introduction

- Ideal trace evidence:
  - Nearly invisible; glitter is so small, it is hard to see under normal conditions.
  - High probability of transfer and persistence; glitter is small and lightweight.
  - Highly selective; glitter can be categorised into various sub-classes (such as shape, size, thickness, colour, etc.).
  - Quickly and easily collected, separated and concentrated; glitter can be tape lifted and searched with hand held lighting.
  - Easily characterised; similar to "highly selective".
  - Computerised database capabilityTS: Centre for Forensic Science

# Aims

- Characterise and differentiate the glitter products, including within the Australian markets and manufactures.
- Determine the types of techniques to be used for glitter examination with their relative value and limitations.
- Provide information on the brand, country, colour, shape, etc. for the purpose of identification using these techniques.



# Materials and Methods

#### Samples

• A total of 239 glitter samples (120 glitter samples provided by Bob Blackledge and purchased in Australia).

Table 3. Countr	y of Manufact	ure and brand	of glitter	samples
-----------------	---------------	---------------	------------	---------

Brand of Glitter Sample	Country of Manufacture	Number of Glitter Samples	Obtained from
Meadowbrook Inventions	United States of America	120	Bob Blackledge
Celebrations of Australia	United States of America	84	Lincraft
Zing!	United States of America	5	Spotlight
Jones Tones	China	9	Spotlight
Fizz	China	13	Spotlight
Martha Stewart	Korea	3	Spotlight
Unknown from Dollar Shop	Unknown	5	Dollar Shop



# Materials and Methods

#### Approach

- Optical examination under low power stereomicroscope.
- Objective colour measurement by microspectrophotometry.
- Comparison microscopy and surface texture.
- Fourier Transform Infrared (FTIR) in Attenuated Total Reflectance (ATR) mode.
- Construction of database using FileMaker Pro 11.
- Blind tests.



#### General

- No glitter samples were found to be manufactured in Australia. Mostly manufactured in United States of America and China.
- Results tabulated into excel based on shape, colour, size and area.
- Assorted into common classes.



#### **Colours of Glitter**



Colour

Figure 1. Number of colours (%) in the glitter samples (the percentage does not add up to 100% because samples had more than one colour in the sample)



- Well known limitations associated with colour determination.
- Colour can be affected by different lighting conditions, angle of observation, properties of the various plastic layers and colour shifting effects.
- Common classes or microspectrophotometry.





#### Figure 2. The different irregular common shapes





Figure 3. Number of shapes (%) in the glitter samples (the percentage does not add up to 100% because some samples had more than one shape)



- Shape only, the hexagon glitter samples would consider to have fairly low evidential value due to its frequent appearance.
  - Confirm studies by Aardahl, 2003; Aardahl et al., 2005 and Kirkowski, 2003.
- Other shapes such as star, heart and rectangle would have better evidential value due to their less frequent appearance.

Aardahl, K. 2003, *Evidential Value of Glitter Particle Trace Evidence*, Master's Thesis, Natioal University, San Diego, CA, USA. Aardahl et al. 2005, 'A target glitter study', *Science & Justice*, vol. 45, no. 1, pp. 7-12. Kirkowski, S. 2003, The Forensic Characterization of Cosmetic Glitter Particles, Master's Thesis, National University, San Diego, CA, USA. **UTS: Centre for Forensic Science** 





Figure 4. Top row shows how the size of each type of shape was measured and the bottom row shows how the area of each shape was measured (LAS V3.6 software).



Microspectrophotometry

- All the absorbance region followed the optical colour observation.
- Little discrimination within the same colour group.





Figure 5. Microspectrophotometry showing that these samples have two different absorbance (Left is C#09, middle C#17 and right is Fizz Crystal #1)





Figure 6. MSP spectra of different blue glitter samples (left top - C#21, left bottom - C#22, right top - C#12 and right bottom - #041)



#### Fourier Transform Infrared (FTIR)

#### FTIR library search of glitter



FTIR library search

Figure 8. Number of different polymers (%) found by the FTIR library search of each glitter sample (the percentage does not add up to 100% as some samples had more than one substance)



- When grouped according to their brand names:
  - Poly(ethylene terephthalate) (PET) mainly in the American products;
  - Other countries mainly used other polymers (i.e. epoxy resin mixture or melamine and phenolic resin mixture).





Figure 10. FTIR spectra of #104 glitter sample as analysed on different sides, giving two different spectra UTS: Centre for Forensic Science



# Further Possible Instrumental Analyses

- Raman microspectroscopy, especially for the analysis of the inner layers of the glitter;
- Scanning electron microscopy/Energy dispersive spectroscopy (SEM/EDS) or another elemental analysis;
- Density by Magnetic Levitation:
  - 11 glitter samples classified in 3 categories (Lockett et al, submitted to JFS)



#### Database

I   I   I   I   Records	Found (Unsorted)	Show All Net	w Record Delete Re	cord Find Sort
Layout: Layout #1	View As:	Preview	]	
Brand Shape Size Range µm <sup>*</sup> Area Range µm2 <sup>*</sup>	Meadowbrook Inventions Hexagon 494-507 x 541-696 158251-238620	Number Colour Size Average µm* Area Average µm2*	#104 Gold 502.00 x 595.00 196647.67	
Microspectrophotometry x-axis = wavelength (nm) y-axis = absorbance		FTIR x-axis = wavenumbers (cm-1) y-axis = %reflectance	T YE	Age Aud La Mala
FTIR Library Search * Data showing H and S - Hexagon ar	ABS Plastic (ATR-Ge Crys no Square. Data showing B and S - Big and	tal) and Poly(vinyl cl Small gillers.	hloride)	

Figure 11. Layout of Database



#### **Blind Test**

 Carried out to test the accuracy of the database constructed.

Blind Test	Result Obtained	Correct Result
#1	C#21	C#21
#2	#074	#074
#3	#137	#137
#4	Fizz Crystal #9	Fizz Crystal #9
#5	JT#6	JT#6
#6	C#17	C#17
#7	JT#3	JT#3
#8	#055	#055
#9	C#22	C#22
#10	JT#2	JT#2
#11	Fizz Crystal #12	Fizz Crystal #12
#12	#046	#046
#13	JT#1	JT#1
#14	C#01	C#01
#15	#132	#132



## **Recommended Sequence**



Figure 13. Sequence of approach for glitter analysis

# Conclusion

- Variety of brands of glitter were characterised via optical, physical and chemical techniques.
- Microspectrophotometry was used to give an colour objective measurement for better comparative result.
- FTIR was the most discriminating technique due to its chemical composition analysis.
- Blind test were identified correctly with the help of the constructed database.

YDNEY



## Recommendation

- Further development of the database, including addition of information regarding:
  - A layers section;
  - A specific gravity section;
  - Raman microscopy;
  - SEM/EDS.
- Transfer, persistence and prevalence experiments.



## Acknownledgement

• Bob Blackledge for providing some of the samples and general advice .

# **Additional References**

- 1. 'Alexander v. State' 1992, *Alexander v. State*, viewed 27th June 2010 <a href="http://www.touchngo.com/ap/html/ap-1242.htm">http://www.touchngo.com/ap/html/ap-1242.htm</a>.
- 2. Blackledge, R.D. 2007, Forensic Analysis on the Cutting Edge: New Methods for Trace Evidence Analysis, John Wiley & Sons, Inc, New Jersey.
- 3. Bradley, M., Lowe, P. & Ward, D. 2003, *Glitter: the analysis and significance of an atypical trace evidence examination*, Poster presentation at the Annual Meeting of the American Academy of Forensic Sciences, Chicago, IL, USA.
- Burgess, C. 2005, 'OPTICAL SPECTROSCOPY | Stray Light', in W. Paul, T. Alan & P. Colin (eds), *Encyclopedia of Analytical Science*, Elsevier, Oxford, pp. 443-448.
- 5. Detection, S. 2005, *Trace Analysis of Glitter Particles, Application Brief AB-*060, <www.smithsdetection.com>.
- 6. Grieve, M.C. 1987, 'Glitter particles an unusual source of trace evidence?', *Journal of the Forensic Science Society*, vol. 27, pp. 405-412.
- 7. Schubert, G. 2004, *Personal communication, Forensic Scientist*, Illinois State Police, Southern Illinois Forensic Science Centre, Carbondale, IL, USA.
- 8. Smith, J. 2005, *Personal communication, Criminalist III*, Missouri State Highway Patrol Crime Lab, Jefferson City, MO, USA.



#### 21st International Symposium on the Forensic Sciences

CONVICTS TO CRIMINALISTICS: PAST, PRESENT AND FUTURE





#### INVITATION TO ATTEND

The Australian and New Zealand Forensic Science Society invite you to attend the 21st International Symposium on the Forensic Sciences in Hobart from 23 to 27 September 2012.

Join us in the picturesque island state of Tasmania to hear national and international leaders in forensic science speak on a diverse range of topics, to participate in an exciting social program and to enjoy the best in fine Tasmanian food and wine. Whether you are a student, forensic practitioner, supervisor or manager working in any of the forensic disciplines, the Hobart symposium will offer an enriching and memorable experience for all delegates.

Of course, no visit to Tasmania would be complete without visiting some of the island's iconic natural and historic attractions such as Cradle Mountain, Port Arthur or Wineglass Bay. Consider spending some extra time to see what a well kept secret Tasmania really is!

Visit the website for more information and to register your interest.

www.anzfss2012.com.au



CONFERENCE SECRETARIAT Conference Design Pty ltd 228 Liverpool Street 7000 Hobart, TAS Email: karina@cdesign.com.au Web: www.cdesign.com.au Phone: 03 6231 2999

Fax: 03 6231 1522



Photographic acknowledgments: Tourism Tasmania.<sup>©</sup> All rights reserved. Geoff Murray, Garry Moore, Richard Eastwood and Geoffrey Lea.

#### ensic Science